$\label{eq:hypercoordinated} \begin{array}{l} \text{HYPERCOORDINATED ORGANOSELENIUM COMPOUNDS} \\ \text{WITH O} \rightarrow \text{Se INTRAMOLECULAR INTERACTIONS} \end{array}$

ALEXANDRA POP^a, ROXANA A. POPA^a, CRISTIAN SILVESTRU^a, ANCA SILVESTRU^a*

ABSTRACT. Single-crystal X-ray diffraction studies revealed a monomeric structure with $O \rightarrow Se$ intramolecular coordination in compounds $[Me_2C(OH)CH_2][2-(Me_2NCH_2)C_6H_4]Se$ (1) and $[2-(O=CH)C_6H_4]Se[S(S)P(OPr^i)_2]$ (2). These interactions result in distorted T-shaped coordination geometries around selenium in both compounds and prevent a *C*,*N*-chelating behavior of the 2-(Me_2NCH_2)C_6H_4 group in 1 and a bidentate behaviour of the dithiophosphorus ligand in 2, respectively.

Keywords: organoselenium compounds; intramolecular coordination; solid state structure; dithiophosphato ligands.

INTRODUCTION

A continuously increased interest was observed during last years for main group organometallic compounds bearing organic groups with pendant arms capable for intramolecular $E \rightarrow M$ (E = O, N; M = main group metal or metalloid) interactions, mainly due to the specific properties induced by such an interaction, e.g. increased thermal and hydrolytic stability or adjustable conformation rigidity [1,2]. In most cases, the use of functionalized aromatic groups with potential for intramolecular coordination results in chelate species stabilized in a monomeric form. Such compounds proved to be valuable candidates in catalysis, medicine or materials science, as they display

^a Babeş-Bolyai University, Faculty of Chemistry and Chemical Engineering, Department of Chemistry, Supramolecular Organic and Organometallic Chemistry Centre (SOOMCC), 11 Arany Janos str., RO-400028, Cluj-Napoca, Romania,

^{*} Corresponding author: ancas@chem.ubbcluj.ro

improved catalytic properties, biological activity or thermal behavior than the species without such intramolecular interactions [3,4]. In organoselenium compounds the N \rightarrow Se intramolecular interaction was observed to reduce the Lewis acidity and to increase the electrophilic reactivity of the chalcogen atom, thus making it more suitable for additional Se \rightarrow M coordination. In this way, organoselenium compounds bearing organic groups with potential for building hypercoordinated species become useful multidentate ligands using both hard (O, N) and soft (Se) donor atoms [5-10].

During the last years our research interest was focused on organoselenium compounds with organic groups of type $2 \cdot (R_2NCH_2)C_6H_4$ (R = Me, Et, Prⁱ) [11-14], 2,6-(R_2NCH_2)C_6H_3 [15], (RN=CH)C₆H₄ (R = Bn, Mes, Ph) [16] or $2 \cdot (O=CH)C_6H_4$ [17] groups, as well as several metal complexes, either metal organoselenolates [18-20], or compounds bearing the alkoxo functionalized ligands, [R₂C(OH)CH₂](2-Me₂NCH₂C₆H₄)Se [21]. As a continuation of our studies we discuss here the crystal and molecular structure of two organoselenium(II) compounds with potential for hypercoordination, namely [Me₂C(OH)CH₂](2-Me₂NCH₂C₆H₄)Se (1) and [2-(O=CH)C₆H₄)Se[S₂P(OPrⁱ)₂] (2), with emphasis on the intramolecular E \rightarrow Se (E = N, O) possible interactions.

RESULTS AND DISCUSSION

We described previously the synthesis and the solution behavior of compounds $[Me_2C(OH)CH_2](2-Me_2NCH_2C_6H_4)Se$ (1) [21] and $[2-(O=CH)C_6H_4)Se[S_2P(OPr^i)_2]$ (2) [17], but at that time we didn't succeed to obtain single crystals suitable for X-ray diffraction studies.

Single-crystal X-ray diffraction studies

The molecular structures of compounds **1** and **2** were determined by single-crystal X-ray diffraction. The ORTEP-like diagrams with the atom numbering schemes for compounds **1** and **2** are displayed in Figures 1 and 2, respectively, while important interatomic distances and angles are given in Tables 1 and 2, respectively.

HYPERCOORDINATED ORGANOSELENIUM COMPOUNDS WITH O \rightarrow Se INTRAMOLECULAR ...



Figure 1. ORTEP-like diagram at 30% probability for compound 1. Hydrogen atoms, except H1 were omitted for clarity.

Table 1. Selected interatomic distances	[Å] and	angles	[°] in 1	1.
---	---------	--------	----------	----

Se1–C1	1.928(4)	C1-Se1-C10	98.20(18)
Se1-C10	1.967(4)	C1–Se1…O1	146.48(13)
Se1…O1	3.121(3)	C10–Se1…O1	50.71(13)

Both compounds have monomeric structures with a distorted Tshaped coordination geometry around selenium (O1...Se1-C1 146.48° in 1 and O1...Se1-S1 176.10° in 2) and chelate rings, *i.e.* four-membered SeC₂O in 1 and five-membered SeC₃O in 2, respectively. In compound 1 the nitrogen-selenium interatomic distance (3.44 Å) is just at the limit of the sum of the van der Waals radii of the two elements [Σr_{vdW} (N,Se) 3.54 Å] [22], while typically such interactions were observed in the range 2.358(2) -3.135(3) Å in other related species, *i.e.* [2-(Me₂NCH₂)C₆H₄]₂Se₂, [2-(Me₂NCH₂)C₆H₄]₂Se [23] or [2,6-(Me₂NCH₂)C₆H₃]Se⁺ [15]. The OH hydrogen atom is not involved in any intra- or intermolecular interaction. This contrasts with the phenyl substituted analogue [Ph₂C(OH)CH₂][2-(Me₂NCH₂)C₆H₄]Se, where a strong N···H–O interaction of 2.03 Å [Σr_{vdW} (N,H) 2.74 Å] is established [21]. In compound 1 the N1...H1 interatomic distance is much greater (6.51 Å) than the sum of the van der Waals radii of these two elements. This behavior can be explained by the constraint determined by the intramolecular O \rightarrow Se interaction (Se1...O1 3.12 Å) [cf. Σr_{vdW} (O,Se) 3.40 Å] [22], which prevents any further participation of the OH hydrogen to hydrogen bonding.



Figure 2. ORTEP-like diagram at 30% probability for compound 2. Hydrogen atoms were omitted for clarity.

Table 2. Selected interatomic dista	nces [Å] and angles [°] in 2 .
-------------------------------------	---------------------------------------

Se1–C1	1.934(4)	C1-Se1-S1	101.41(14)
Se1–S1	2.216(1)	C1–Se1…O1	76.50(15)
Se1…O1	2.575(4)	S1–Se1…O1	176.10(10)
P1–S1	2.0865(16)		
P1-S2	1.9087(19)		

In compound **2** the O \rightarrow Se intramolecular interaction of 2.575 Å is similar with that one found in [2-(O=CH)C₆H₄]Se[S(S)PPh₂] (2.568 Å) and much stronger than the sum of the van der Waals radii of oxygen and selenium. The dithiophosphorus ligand is coordinated in a monodentate fashion to selenium, with single P–S [P1–S1 2.086(2) Å] and double P=S [P1–S2 1.908(2) Å] bonds [*cf.* P–S 2.077(1) and P=S 1.954(1) Å in Ph₂P(S)SH] [24]. These values are similar with those found in the related [2-(O=CH)C₆H₄]Se[S(S)PPh₂] [17] or the compounds of type [2-(Pr_2NCH_2)C₆H₄]Se[S(S)PR'₂] (R' = Ph, OPr') [13].

CONCLUSIONS

The single-crystal X-ray diffraction studies revealed the presence of $O \rightarrow Se$ intramolecular interactions in the monomeric species $[Me_2C(OH)CH_2](2-Me_2NCH_2C_6H_4)Se(1)$ and $[2-(O=CH)C_6H_4]Se[S(S)P(OPri)_2](2)$. In compound 1 the intramolecular $O \rightarrow Se$ coordination pushed the nitrogen atom in the pendant arm of the 2-(Me_2NCH_2)C_6H_4 group away from the coordination sphere of selenium, thus preventing any intramolecular N \rightarrow Se interaction, while in compound 2 the intramolecular C=O \rightarrow Se interaction determines a monodentate monoconective behavior of the organophosphorus ligand.

EXPERIMENTAL SECTION

X-ray structure determination

The details of the crystal structure determination and refinement for compounds **1** and **2** are given in Table 3. Data were collected on a Bruker SMART APEX diffractometer by using graphite-monochromated Mo- K_{α} radiation ($\lambda = 0.71073$ Å). The crystals were attached with paraton/N oil on cryoloops. The structures were refined with anisotropic thermal parameters. The hydrogen atoms were refined with a riding model and a mutual isotropic thermal parameter. For structure solving and refinement the software package SHELX-97 was used [25]. The drawings were created with the Diamond program [26].

	1	2
Empirical formula	C ₁₃ H ₂₁ NOSe	C ₁₃ H ₁₉ O ₃ PS ₂ Se
Formula weight	286.27	397.33
Temperature (K)	150(2)	293(2)
Wavelength (Å)	0.71073	0.71073
Crystal system	Tetragonal	Monoclinic
Space group	-4	C2/c
a (Å)	19.9049(12)	28.106(5)
b (Å)	19.9049(12)	8.0787(13)
c (Å)	7.0189(8)	16.977(3)
α (°)	90	90
β (°)	90	114.002(3)
γ (°)	90	90
Volume, (Å ³)	2780.9(5)	3521.5(11)
Z	8	8
Density (calculated) (g/cm ³)	1.367	1.499
Absorption coefficient (mm ⁻¹)	2.682	2.463
F(000)	1184	1616
Crystal size, mm	0.30 x 0.25 x 0.19	0.20 x 0.22 x 0.38
θ range for data collections, °	1.447 to 24.929	1.60 to 25.00
Reflections collected	13389	16308
Independent reflections	2445 [R _{int} = 0.0484]	3099 [R _{int} = 0.049]
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	2445 / 0 / 150	3099 / 0 / 185
Goodness-of-fit on <i>F</i> ²	1.037	1.172
Final R indicies [I>2sigma(I)]	R1 = 0.0274	R ₁ = 0.0536
	wR2 = 0.0588	wR ₂ = 0.1144
R indicies (all data)	R1 = 0.0288	R ₁ = 0.0649
	wR2 = 0.0593	wR ₂ = 0.1192
Largest diff. peak and hole, eÅ-3	0.355 and -0.188	0.751 and -0.261

Table 3. Crystal data and structure refinement for $[Me_2C(OH)CH_2][2-(Me_2NCH_2)C_6H_4]Se (1) and <math>[2-(O=CH)C_6H_4)Se[S(S)P(OPr^i)_2] (2)$

ACKNOWLEDGMENTS

Financial support from the Ministry of Education and Research of Romania (Research Project No. PN-II-ID-PCE-2011-3-0659) is greatly appreciated. Roxana Popa is grateful for financial support from the Babes-Bolyai University through a grant offered by the College for Advanced Performance Studies.

SUPPLEMENTARY DATA

CCDC 1587750 and 1571839 contain the supplementary crystallographic data for **1** and **2**, respectively. These data can be obtained free of charge *via http://www.ccdc.cam.ac.uk/conts/ retrieving.html*, or from the Cambridge Crystallographic Data Centre, 12 Union Road, Cambridge CB2 1EZ, UK; fax: +44 1223 336 033; or e-mail: deposit@ccdc.cam.ac.uk.

REFERENCES

- 1. Kin-ya Akiba (Ed), "Chemistry of Hypervalent Compounds", Wiley-VCH, 1999, Weinheim.
- 2. C.I. Rat, C. Silvestru, H.J. Breunig, *Coordination Chemistry Reviews*, **2013**, 257 818, and references therein.
- 3. C. Coza, A. Stegarescu, R. Suteu, A. Silvestru, *Journal of Organometallic Chemistry*, **2015**, 777, 71.
- 4. C.A. Caputo, N.D. Jones, Dalton Transactions, 2007, 41, 4727.
- 5. G. Mugesh, H.B. Singh, Chemical Society Reviews, 2000, 29, 347.
- 6. T. Wirth (Ed.), "Organoselenium Chemistry: Modern Developments in Organic Synthesis", *Topics in Current Chemistry*, vol. 208, Springer, Berlin, **2000**.
- 7. G. Mugesh, W.-W. du Mont, H. Sies, *Chemistry Reviews*, **2001**, *101*, 2125 (and references therein).
- 8. A.J. Mukherjee, S.S. Zade, H.B. Singh, R.B. Sunoj, *Chemistry Reviews*, **2010**, *110*, 4357 (and references therein).
- 9. K. Kandasamy, H.B. Singh, G. Wolmershauser, *Inorganica Chimica Acta*, 2005, 358, 207.
- 10. S. Panda, S.S. Zade, H.B. Singh, R.J. Butcher, *European Journal of Inorganic Chemistry*, **2006**, 172.
- 11. C. Deleanu, J.E. Drake, M.B. Hursthouse, M. Kulcsar, M.E. Leight and A. Silvestru, *Applied Organometallic Chemistry*, **2002**, *16*, 727.
- 12. M. Kulcsar, A. Silvestru, C. Silvestru, J.E. Drake, C.L.B. Macdonald, M.B. Hursthouse, M.E. Light, *Journal of Organometallic Chemistry*, **2005**, 690, 3217.

- 13. E. Duhamel, A. Pöllnitz, A. Stegarescu, A. Silvestru, *Zeitschrift für Anorganische und Allgemeine Chemie*, **2011**, 637, 1355.
- 14. A. Pöllnitz, V. Lippolis, M. Arca, A. Silvestru, *Journal of Organometallic Chemistry*, **2011**, 696, 2837.
- 15. A. Pop, A. Silvestru, E.J. Juárez-Pérez, M. Arca, V. Lippolis, C. Silvestru, *Dalton Trans*actions, **2014**, *43*, 2221.
- 16. A. Pöllnitz, C. Silvestru, J.-F. Carpentier, A. Silvestru, *Dalton Transactions*, **2012**, *41*, 5060.
- 17. R.A. Popa, A. Pop, C. Silvestru and A. Silvestru, *Revue Roumaine Chimie*, **2016**, *61*, 495.
- A. Pölnitz, A. Rotar, A. Silvestru, C. Silvestru, M. Kulcsar, Journal of Organometallic Chemistry, 2010, 695, 2486.
- 19. A. Pop, L. Wang, V. Dorcet, T. Roisnel, J.-F. Carpentier, A. Silvestru, Y. Sarazin, *Dalton Transactions*, **2014**, *43*, 16459.
- 20. A. Pop, C. Bellini, R. Şuteu, V. Dorcet, T. Roisnel, J.-F. Carpentier, A. Silvestru, Y. Sarazin, *Dalton Trans*actions, **2017**, *46*, 3179.
- 21. A. Pop, R. Mitea, A. Silvestru, *Journal of Organometallic Chemistry*, **2014**, 768, 121.
- 22. J. Emsley, "Die Elemente", de Gruyter, Berlin, 1994.
- 23. A. Panda, G. Mugesh, H.B. Singh, R.J. Butcher, *Organometallics*, **1999**, *18*, 1986.
- 24. B. Krebs, G. Henkel, *Zeitschrift für Anorganische und Allgemeine Chemie,* **1981**, 475, 143.
- 25. G. M. Sheldrick, Acta Crystallographica, Section A, 2008, 64, 112.
- 26. *DIAMOND*, Visual Crystal Structure Information System, Crystal Impact, Postfach 1251, 53002 Bonn, Germany, **2001**.