LISTA DE PUBLICATII

I. CARTI

1. Hypervalent tin and lead compounds. Synthesis and characterization.
R. A. Varga,
LAP LAMBERT Academic Publishing GmbH&Co. KG, Saarbrücken, Germany, **2012**.
ISBN-10:**3847337319**; ISBN-13: **978-3847337317**; Publication Date: January 5, 2012

2. C–H Bond Activation Mediated by Inorganic and Organometallic Compounds of Main Group Metals (Chapter 4)
C.I. Raț, A. Soran, R. A. Varga, C. Silvestru,
in *Adv. Organomet. Chem.*, eds. P. J. Pérez, F. G. A. Stone, R. West, Academic Press, **2018**, 70, 233-311.
DOI: 10.1016/bs.adomc.2018.07.003

II. PUBLICATII STIINTIFICE

1. Synthesis and spectroscopic characterization of new organolead(IV) complexes containing organophosphorus ligands,
R. A. Varga, C. Silvestru, I. Haiduc,
Synth. React. Inorg. Met.-Org. Chem., **2000**, *30*, 485-498.

2. Inorganic chelate rings in organolead(IV) derivatives of organophosphorus ligands. From 6-membered to 16-membered rings,
R. A. Varga, J. E. Drake, C. Silvestru,
Phosphorus, Sulfur & Silicon, **2001**, *169*, 47-50.

3. Hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4]Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal center,
R. A. Varga, M. Schuermann, C. Silvestru,
J. Organomet. Chem., **2001**, *623*, 161-167.
DOI:10.1016/S0022-328X(00)00871-8

4. Dibenzyltin(IV) derivatives of tetraphenyldichalcogenoimidodiphosphinato ligands. X-Ray molecular structures of $(C_6H_5CH_2)_2Sn[(OPPh_2)_2N]_2$ and $(C_6H_5CH_2)_2Sn[(OPPh_2)(SPPh_2)N]_2 \cdot C_6H_6$,
R. A. Varga, J. E. Drake, M. Venter, K. C. Molloy, C. Silvestru,
Rev. Roum. Chim., **2002**, *47*, 1067-1073.

5. Organolead(IV) derivatives of oxophosphorus ligands. X-Ray structures of monomeric $R_2Pb[(OPPh_2)_2N]_2$ (R = Me, Ph) and tetrameric $[Me_3Pb(O_2PPh_2)]_4$,
R. A. Varga, J. E. Drake, C. Silvestru,
J. Organomet. Chem., **2003**, *675*, 48-56.
DOI: 10.1016/S0022-328X(03)00229-8

6. Crystal and molecular structure of bis(tetraphenylmonothioimidodiphosphinato)dibutyltin(IV), $Bu_2Sn[(OPPh_2)(SPPh_2)N]_2$ - *trans* versus *cis*-$C_2SnO_2S_2$ octahedral cores,
R. A. Varga, C. Silvestru,
Rev. Roum. Chim., **2004**, *49(3-4)*, 247-255.

7. New inorganic mercury(II) derivatives of asymmetric tetraorganodichalcogenoimidodiphosphinato ligands. Crystal and molecular structure of $Hg[(XPMe_2)(SPPh_2)N]_2 \cdot$(X = O, S).
O. Bumbu, R. A. Varga, Anca Silvestru
Rev. Roum. Chim., **2004**, *49(3-4)*, 269-278.

8. Design and synthesis of new macrocyclic cyclophanes using 1,3-dioxane units as bridges: a molecular ”rocking chair”,
M. Balog, I. Grosu, G. Plé, Y. Ramondenc, E. Condamine, R. A. Varga,
J. Org. Chem., **2004**, *69*, 1339-1345.
DOI: 10.1021/jo0353987

9. Crystal Structure of *N*-3-Pyridinylmethanesulfonamide and *trans*-Diiodobis(*N*-3-pyridinyl-methanesulfonamide)platinum(II),
N. I. Dodoff, R. A. Varga, D. Kovala-Demertzi,
Z. Naturforsch., **2004**, *59b,* 1070-1076.

10. Synthesis, solution behaviour and X-ray structures of $[2\text{-}(Me_2NCH_2)C_6H_4]SnCl_3$ and $[2\text{-}(Me_2NCH_2)C_6H_4]SnCl_3\cdot DMSO$
R. A. Varga, C. Silvestru, C. Deleanu,
Appl. Organomet. Chem., **2005**, *19*, 153-160.
DOI: 10.1002/aoc.817

11. Synthese und Kristallstruktur von *meso*-R(Ph)Sb-Sb(Ph)R [R = $(Me_3Si)_2CH$]
L. Balazs, H. J. Breunig, C. Silvestru, R. A. Varga,
Z. Naturforsch., **2005**, *60b*, 1321-1323.

12. Hypercoordinated organotin(IV) halides containing $2\text{-}(Me_2NCH_2)C_6H_4$ groups: $[2\text{-}(Me_2NCH_2)C_6H_4]_2SnX_2$ (X = F, Cl, Br, I) and $[2\text{-}(Me_2NCH_2)C_6H_4]R_2SnX$ (R = Me, Ph; X = F, Cl, Br, I) – solution behaviour and solid state hydrogen bonding-based supramolecular architecture
R. A. Varga, A. Rotar, M. Schuermann, K. Jurkschat, C. Silvestru,
Eur. J. Inorg. Chem., **2006**, 1475-1486.
DOI: 10.1002/ejic.200501018

13. μ-Hydroxo-bis{[2-(dimethylaminomethyl)phenyl]dimethyltin(IV)} iodide
R. A. Varga, C. Silvestru,
Acta Cryst. E, **2006**, *E62*, m1964–m1965.
DOI: 10.1107/S1600536806028418

14. Crystal and density functional theory molecular structure of the cyclobutanone resulted from the cycloaddition of T-butylcyanoketene (Moore’s ketene) with indene
L. Parvulescu, A. Marton, C. Draghici, R. A. Varga, M. D. Gheorghiu
Rev. Roum. Chim., **2006**, *51(7-8),* 615-622.

15. Crystal structure of diphenyltin(IV) bis(tetraphenylimidodiphosphinate)
R. A. Varga, C. Silvestru,
Main Group Met. Chem., **2006**, *29(5),* 285-286.

16. Hydrogen bonding in dibromo[2-(dimethylaminomethyl)phenyl][2-(dimethylammonio-methyl)phenyl]tin(IV) tetrabromo[2-(dimethylaminomethyl)phenyl]tin(IV)
R. A. Varga, C. Silvestru,
Acta Cryst. C, **2007**, *C63*, m48–m50.
DOI: 10.1107/S010827010605150X

17. 4-Benzylmorpholin-4-ium chloride
D. Copolovici, C. Silvestru, R. A. Varga
Acta Cryst. E, **2007**, *E36*, o2465.
DOI: 10.1107/S1600536807017060

18. Bismuth(III) complexes of tetraorganodichalcogenoimidodiphospninic acids. Crystal and molecular structure of $Bi[(SPMe_2)(SPPh_2)N]_3$ and $Bi[(OPPh_2)_2N]_2[(OPPh_2)(SPPh_2)N]$.
M. Nema, M. Jönsson, R. A. Varga, A. Silvestru, C. Silvestru.
Rev. Roum. Chim., **2007**, *52(1-2),* 51-58.

19. New copper(I) and copper(II) tetraorganodichalcogenoimidodiphosphinates. Crystal and molecular structure of the first monothioimidodiphosphinato copper(I) complex, $Cu_4[(OPMe_2)(SPPh_2)N]_4 \cdot 6CH_2Cl_2$,
A. Rotar, O. Moldovan, S. I. Farcas, R. A. Varga, C. Silvestru, A. Silvestru,
Studia Univ. "Babes-Bolyai", Chemia, **2007**, *52(1)*, 81-90.

20. Intramolecular interactions in μ-oxido-bis{bis[2-(dimethylaminomethyl)phenyl]stannol}
A. Rotar, R. A. Varga, C. Silvestru,
Acta Cryst. C, **2007**, *C63,* m355-m356.
DOI: 10.1107/S0108270107030156

21. Hydrogen bonding in (2-bromobenzyl)dimethylammonium bromide
R. A. Varga, C. Silvestru,
Acta Cryst. E, **2007**, *E63,* o3381.
DOI: 10.1107/S1600536807031947

22. Iodidomesityltellurium(II) iodido-trimesitylditellurium(II)(Te-Te)
L. Copolovici, C. Silvestru, V. Lippolis, R. A. Varga,
Acta Cryst. C, **2007**, *C63,* o528-o529.
DOI: 10.1107/S0108270107035123

23. Hydrogen bis(tetraphenylimidodiphospinic acid) triiodide
L. Copolovici, R. A. Varga, C. Silvestru, V. Lippolis,
Acta Cryst. E, **2007**, *E63,* o4206–o4207.
DOI: 10.1107/S1600536807047198

24. 3,6-Diaminoacridinium perchlorate
R. A. Varga, A. Rus, M. M. Venter, T. Negreanu-Pirjol, C. Guran
Acta Cryst. E, **2007**, *E63,* o4317.
DOI: 10.1107/S1600536807049057

25. 1-Bromo-2,6-bis(4-methylpiperazin-1-ylmethyl)benzene
L. Copolovici, V. Bojan, C. Silvestru, R. A. Varga,
Acta Cryst. E, **2007**, *E63,* o4323.
DOI: 10.1107/S1600536807049781

26. Tetrakis[2-(dimethylaminomethyl)phenyl]-1κC,2κC,3κC,4κC-hexa-μ-sulfido-1:2κ^4S:S;1,4κ^2S:S;2:3κ^2S:S;3:4κ^4S:S-tetratin(IV) chloroform solvate
R. A. Varga, C. Silvestru
Acta Cryst. E, **2007**, *E63,* m2789.
DOI: 10.1107/S1600536807051501

27. *N*-(2-Bromobenzyl)-2,6-diisopropylaniline
A. Cristea, R. A. Varga, C. Silvestru
Acta Cryst. E, **2007**, *E63,* o4528–o4529.
DOI: 10.1107/S1600536807052907

28. 1-Bromo-2,6-bis(*N*-morpholinylmethyl)benzene
L. Copolovici, V. Bojan, C. Silvestru, R. A. Varga,
Acta Cryst. E, **2007**, *E63,* o4570.

DOI: 10.1107/S1600536807051574

29. *N,N*-Bis(2-bromobenzyl)-2,6-diisopropylaniline
C. Comsa, C. Silvestru, R. A. Varga
Acta Cryst. E, **2007**, *E63,* o4714.
DOI: 10.1107/S160053680705670X

30. Crystal structure of triphenyltin(IV) diphenyldithiophosphinate,
R. A. Varga, C. Silvestru,
Main Group Met. Chem., **2007**, *30(4)*, 199-202.

31. Substitutional disorder in a hypervalent diorganotin(IV) dihalide
A. Rotar, R. A. Varga, C. Silvestru,
Acta Cryst. E, **2008**, *E64,* m45.
DOI: 10.1107/S1600536807063386

32. *N,N*-Bis(2-bromoethyl)aniline
R. Vilma Bojan, R. A. Varga, C. Silvestru
Acta Cryst. E, **2008**, *E64,* o86.
DOI: 10.1107/S1600536807056279

33. Tris[2-(morpholin-4-ylmethyl)phenyl-κ^2C^1,*N*]antimony(III)
D. Copolovici, R. A. Varga, C. Silvestru
Acta Cryst. C, **2008**, *C64,* m37-m39.
DOI: 10.1107/S0108270107061896

34. Solid-state structure and behaviour in solution of hypercoordinated organotin(IV) derivatives containing 2-(Me_2NCH_2)C_6H_4 moieties
R. A. Varga, K. Jurkschat, C. Silvestru,
Eur. J. Inorg. Chem., **2008**, 708–716.
DOI: 10.1002/ejic.200701044

35. X-ray, ^{1}H NMR and DFT study on 5-para-X-benzylidene-thiazolidine derivatives with X=Br,F
V. Chiş, A. Pîrnău, M. Vasilescu, R. A. Varga, O. Oniga
J. Mol. Struct.: THEOCHEM, **2008**, *851*, 63-74.
DOI: 10.1016/j.theochem.2007.10.041

36. Hypervalent organobismuth(III) carbonate, chalcogenides and halides with the pendant arm ligands 2-(Me_2NCH_2)C_6H_4 and 2,6-(Me_2NCH_2)$_2C_6H_3$
H. J. Breunig, L. Königsmann, E. Lork, M. Nema, N. Philipp, C. Silvestru, A. Soran, R. A. Varga, R. Wagner
Dalton Trans., **2008**, 1831-1842.
DOI: 10.1039/b717127g

36a. Front Cover
Dalton Trans., **2008**, 1797-1798.
DOI: 10.1039/B804214B

37. Crystal and molecular structure of [2,6-(Me_2NCH_2)$_2C_6H_3$]$_2SnF_2$, an intramolecularly coordinated diorganotin difluoride
A. Rotar, M. Schürmann, R. A. Varga, C. Silvestru, K. Jurkschat,
Z. Anorg. Allg. Chem., **2008**, *634 (9),* 1533-1536.
DOI: 10.1002/zaac.200800002

38. Di-μ-chlorido-bis{[2-(morpholinomethyl)phenyl-κ^2C^1,N]palladium(II)}
D. Copolovici, C. Silvestru, F. Isaia, R. A. Varga
Acta Cryst. E, **2008**, *E64*, m1057-m1058.
DOI:10.1107/S1600536808022575

39. 4-Benzylpiperazin-1-ium chloride chloroform solvate
M. G. Nema, C. Silvestru, R. A. Varga, H. J. Breunig
Acta Cryst. E, **2008**, *E64*, o1585.
DOI:10.1107/S1600536808022587

40. Synthesis and Antimalarial Activity of New Amino Analogues of Amodiaquine
E. Paunescu, S. Susplugas, E. Boll, R. A. Varga, E. Mouray, P. Grellier, P. Melnyk
Med. Chem., **2008**, *4(5)*, 407-425.

41. Hydrogen bonding in substitutionally disordered di-μ-hydroxido-bis{aquatri[bromido/chlorido(1/2)]tin(IV)}acetone disolvate
I. Barbul, R. A. Varga, C. Silvestru
Acta Cryst. E, **2009**, *E65*, m39.
DOI:10.1107/S1600536808040543

42. Replacement of the 4'-hydroxy group of amodiaquine and amopyroquine by aromatic and aliphatic substituents: synthesis and antimalarial activity
E. Paunescu, S. Susplugas, E. Boll, R. A. Varga, E. Mouray, I. Grosu, P. Grellier, P. Melnyk
ChemMedChem, **2009**, *4*, 549–561.
DOI:10.1002/cmdc.200800318

43. Synthesis and characterization of hypervalent organoantimony(III) compounds containing the $[2\text{-}(Me_2NCH_2)C_6H_4]_2Sb$ fragment
L. M. Opris, A. M. Preda, R. A. Varga, H. J. Breunig, C. Silvestru
Eur. J. Inorg. Chem., **2009**, 1187–1193.
DOI: 10.1002/ejic.200801129

44. Diorganotin(IV) compounds containing $2\text{-}(Et_2NCH_2)C_6H_4$ moieties. Configurational stability in solution and solid state structures
A. Rotar, R. A. Varga, K. Jurkschat, C. Silvestru,
J. Organomet. Chem., **2009**, *694*, 1385–1392.
DOI:10.1016/j.jorganchem.2008.12.023

45. Experimental and theoretical investigation of 5-para-nitro-benzylidene-thiazolidine-2-thione-4-one molecule
A. Pîrnău, V. Chiş, L. Szabo, O. Cozar, M. Vasilescu, O. Oniga, R. A. Varga,
J. Mol. Struct., **2009**, *924-926*, 361-370.
DOI:10.1016/j.molstruc.2008.12.044

46. H-bond-driven supramolecular architectures of the *syn* and *anti* isomers of the dioxime of bicyclo[3.3.1]nonane-3,7-dione,
N. Tosa, A. Bende, R. A. Varga, A. Terec, I. Bratu, I. Grosu,
J. Org. Chem., **2009**, *74(10)*, 3944-3947.
DOI:10.1021/jo900484v

47. Reaction of Moore's ketene (*t*-Butylcyanoketene) with 1,3-cyclopentadiene and 1,3-cyclohexadiene. Is periselectivity controlled by the dynamic of trajectories at the bifurcation point?
A. Marton, L. Pârvulescu, C. Drăghici, R. A. Varga**,** M. D. Gheorghiu**,**
Tetrahedron, **2009**, *65(36)*, 7504-7509.

DOI:10.1016/j.tet.2009.07.020

48. A versatile synthesis of a new bisiminophosphorane
A. Micle, N. Miklášova, R. A. Varga, A. Pascariu, N. Pleşu, M. Petric, G. Ilia,
Tetrahedron Lett., **2009**, *50*, 5622–5624.
DOI:10.1016/j.tetlet.2009.07.112

49. Bis[2-(morpholinomethyl)phenyl]phenylphosphane
A. Covaci, R. A. Varga, C. Silvestru
Acta Cryst. E, **2009**, *E65*, o3158-o3159.
DOI:10.1107/S1600536809048946

50. Synthesis, Structural Analysis, and Chiral Investigations of Some Atropisomers with EE-Tetrahalogeno-1,3-butadiene Core
F. Piron, N. Vanthuyne, B. Joulin, J.-V.Naubron, C. Cisma, A. Terec, R. A. Varga,
C. Roussel, J. Roncali, I. Grosu
J. Org. Chem., **2009**, *74*, 9062–9070.
DOI: 10.1021/jo901762j

51. Organotin meclofenamic complexes: Synthesis, crystal structures and antiproliferative activity of the first complexes of meclofenamic acid – Novel anti-tuberculosis agents,
D. Kovala-Demertzi, V. Dokorou, A. Primikiri, R. Varga, C. Silvestru, U Russo, M. A. Demertzis,
J. Inorg. Biochem., **2009**, *103*, 738-744.

52. 6,6-dimethyl- and 6,6-diphenylfulvene as cycloaddents in reaction with Moore's ketene
L. Pârvulescu, A. Marton, M. Mihai, C. Drăghici, R. A. Varga**,** M. D. Gheorghiu,
Rev. Roum. Chim., **2009**, *54*(11-12), 895–902

53. [2,6-bis(dimethylaminomethyl)phenyl]selenium bromide monohydrate
R. A. Varga, M. Kulcsar, A. Silvestru
Acta Cryst. E, **2010**, *E66*, o771.
DOI:10.1107/S1600536810008019

54. Syntheses, structures and intermolecular interactions of tetraorganoammonium, -phosphonium and -stibonium dimethyl- and diphenyltetrahaloantimonates
H. J. Breunig, T. Koehne, O. Moldovan, A. M. Preda, A. Silvestru, C. Silvestru, , R. A. Varga,
L. F. Piedra-Garza, U. Kortz,
J. Organomet. Chem., **2010**, *695*, 1307-1313.
DOI: 10.1016/j.jorganchem.2010.02.016

55. Methyltin(IV) trichloride complexes of β-ketimine, $MeSnCl_3[OC(Me)CHC(Me)NH(C_6H_3{}^iPr_2$-2',6')-4]$_n$ (n = 1,2). Solution behavior and solid state structure
C. Comsa, R. A. Varga, C. Silvestru
Studia Univ. "Babes-Bolyai", Chemia, **2010**, *55(2)*, 207-216.

56. Solid state structure of a new nickel(II) (3*H*-2-thioxo-1,3,4-thiadiazol-2-yl) thioacetato complex
M. M. Venter, V. N. Bercean, R.A. Varga, V. Sasca, T. Petrişor Jr., L. Ciontea
Studia Univ. "Babes-Bolyai", Chemia, **2010**, *55(2)*, 217-226.

57. Ammonium salts of organophosphorus acids. Crystal and molecular structure of $[Et_3NH]^+[(SPMe_2)(SPPh_2)N]^-$ and $[2\text{-}\{O(CH_2CH_2)_2N(H)CH_2\}C_6H_4]^+[S_2P(OPr^i)_2]^-$
A. M. Preda, M. Kulcsar, R. A. Varga, D. Margineanu, A. Silvestru
Studia Univ. "Babes-Bolyai", Chemia, **2010**, *55(2)*, 237-244.

58. Synthesis, crystal structure and thermal decomposition of $[La_2(CH_3CH_2COO)_6 \cdot (H_2O)_3] \cdot 3.5H_2O$ precursor for high-*k* La_2O_3 thin films deposition
L. Ciontea, M. Nasui, T. Petrisor Jr., R.B. Mos, M.S. Gabor, R.A. Varga, T. Petrisor
Mater. Res. Bull., **2010**, *45*, 1203–1208

59. Vinylferrocene as paradigm for the two-step reaction mode with ketenes. The case of tert-butylcyanoketene (Moore's ketene)
M. Mihai, L. Pârvulescu, A. Marton, C. Drăghici, R. A. Varga**,** M. D. Gheorghiu,
Collect. Czech. Chem. Commun., **2010**, *75(9)*, 949–961

60. 3,9-Diisopropyl-2,4,8,10-tetrathiaspiro[5.5]undecane
S.A. Gâz, I. Dobra, A. Woiczechowski-Pop, R. A. Varga, I. Grosu
Acta Cryst. E, **2010**, *E66*, o2618.
DOI:10.1107/S1600536810037281

61. 2,6-Dichloropyridine-3,5-dicarbonitrile
A. Woiczechowski-Pop, R. A. Varga, A. Terec, I. Grosu
Acta Cryst. E, **2010**, *E66*, o2638.
DOI:10.1107/S160053681003758X

62. $[2\text{-}\{E(CH_2CH_2)_2NCH_2\}C_6H_4]_nBiX_{3-n}$ (E = O, NMe; X = Cl, Br, I; n = 1–3) and $[2\text{-}(Me_2NCH_2)C_6H_4]BiBr_2$ – New hypervalent organobismuth(III) compounds
H. J. Breunig, M. G. Nema, C. Silvestru, A. Soran, R. A. Varga,
Z. Anorg. Allg. Chem., **2010**, *636*, 2378–2386.
DOI: 10.1002/zaac.201000233

63. Organotin(IV) complexes of beta-ketimines. Crystal and molecular structure of OC(Me)CHC(Me)NHR-4 [R = $C_6H_3{}^iPr_2$-2',6'; C_6H_4Me-4'], Bu_2SnCl_2(L) and $[\{Me_2SnCl\}_2(L)]_2$ [L = OC(Me)CHC(Me)NH($C_6H_3{}^iPr_2$-2',6')-4]
C. Comsa, A. Cristea, R. A. Varga, C. Silvestru
Rev. Roum. Chim., **2010**, *55*, 811-822.

64. Organobismuth compounds with the pincer ligand 2,6-$(Me_2NCH_2)_2C_6H_3$: Monoorganobismuth(III) carbonate, sulfate, nitrate, and a diorganobismuthenium(III)salt
H. J. Breunig, M. G. Nema, C. Silvestru, A. P. Soran, R. A. Varga,
Dalton Trans., **2010**, *39*, 11277–11284.
DOI: 10.1039/c0dt00927j

65. Butyltrichlorido{2-[(diisopropylammonio)methyl]phenyl}tin(IV) dichloromethane monosolvate
A. Rotar, R. A. Varga, M. Staninska
Acta Cryst. E, **2011**, *E67*, m56.
DOI:10.1107/S1600536810050713

66. Geometric enantiomerism in cyclic compounds: Chiral dibrominated 1,3-dioxanes
C. Cismaş, N. Vanthuyne, H. Rispaud, R. A. Varga, E. Bogdan, C. Roussel, I. Grosu
Chirality, **2011**, *23(2)*, 167–171.
DOI: 10.1002/chir.20895

67. Formation of $[Cp_2TiSbMe_2]_2$, $[Cp_2TiSb(SiMe_3)_2]_2$ and $[Cp_2TiCl]_2 \cdot 2Mes_4Sb_2$
H.J. Breunig, O. Moldovan, M. Nema, U. Rosenthal, C.I. Rat, R. A. Varga,
J. Organomet. Chem., **2011**, *696*, 523-526.
DOI:10.1016/j.jorganchem.2010.09.007

68. A new orthorhombic polymorph of 1,1'-selenobis(*N*,*N*-diethylsulfanecarbothioamide)

A. Pöllnitz, R. A. Varga, A. Silvestru,
Acta Cryst. E, **2011**, *E67*, o411.
DOI:10.1107/S1600536811000511

69. Chiral bicyclo[3.3.1]-3,7-dioxanonane derivatives: Study of crystallization mode and conformational dynamics in solution
C. Uncuţa, E. Bartha, D. Gherase, I. A. Loas, F. Teodorescu, R. A. Varga, N. Vanthuyne, C. Roussel, U. Berg,
J. Mol. Struct., **2011**, *989*, 20–30.
DOI:10.1016/j.molstruc.2010.12.028

70. Di-μ-chlorido-bis[chloridobis(dimethyl sulfoxide-κO)tin(II)]
I. Barbul, R. A. Varga, C. Silvestru,
Acta Cryst. E, **2011**, *E67*, m486.
DOI:10.1107/S1600536811009895

71. Synthesis and structure of new crown ethers with 1,4-phenylene and 1,4-naphthylene units
M. Cîrcu, A. Petran, A. S. Gâz, E. Bogdan, A. Terec, C. I. Rat, R. A. Varga, I. Grosu,
J. Mol. Struct., **2011**, *92*, 17-23.
DOI:10.1016/j.molstruc.2011.01.052

72. Synthesis, crystal structure and thermal decomposition of a new copper propionate $[Cu(CH_3CH_2COO)_2]\cdot 2H_2O$
M. Nasui, R. B. Mos, T. Petrisor Jr., M. S. Gabor, R. A. Varga, L. Ciontea, T. Petrisor,
J. Anal. Appl. Pyrol., **2011**, *996*, 439–444.
DOI:10.1016/j.jaap.2011.08.005

73. Synthesis, crystal structure and thermal decomposition study of a new barium acetato-propionate complex
M. Nasui, R. B. Mos, T. Petrisor Jr., M. S. Gabor, R. A. Varga, L. Ciontea, T. Petrisor,
J. Anal. Appl. Pyrol., **2011**, *996*, 445–449.
DOI:10.1016/j.jaap.2011.08.007

74. Crystal and molecular structure of potassium 18-crown-6-[2,6-bis(dimethylaminomethyl)-phenyl]tin(IV) tetrafluoride
A. Rotar, R. A. Varga, M. Schürmann, C. Silvestru, K. Jurkschat,
Main Group Met. Chem., **2011***, 34(3-4),* 57–60.
DOI:10.1515/MGMC.2011.017

75. (3-Chlorophenyl){2-ethoxy-5-[(*Z*)-hydroxy(phenyl)methylidene]cyclopenta-1,3-dien-1-yl}methanone
M.-L.Ţînţaş, R. A. Varga, I. Grosu, E. Bogdan,
Acta Cryst. E, **2012**, *E68*, o310-o311.
DOI:10.1107/S1600536811055279

76. The ring–chain tautomeric equilibria of selenium macrocyclic compounds: the isolation of the ring tautomer
M. Bucsa, P. Alpar, R. A. Varga, A. Pirnau, A. Silvestru, M. Vlassa,
Dalton Trans, **2012***, 41 (15),* 4506-4510.
DOI: 10.1039/c2dt11749e

77. Synthesis, crystal structure and thermal decomposition of $Zr_6O_4(OH)_4(CH_3CH_2COO)_{12}$
R. B. Mos, M. Nasui, T. Petrisor Jr., M. S. Gabor, R. A. Varga, L. Ciontea,
J. Anal. Appl. Pyrolysis, **2012**, *97*, 137–142.
DOI: 10.1016/j.jaap.2012.06.010

78. Cryptands and bismacrocycles with cyanuric and isocyanuric units: synthesis and structural investigations
F. Pop, C. Socaci, A. Terec, E. Condamine, R. A. Varga, C. I. Rat, J. Roncali, I. Grosu,
Tetrahedron, **2012**, *68*, 8581-8588.
DOI: 10.1016/j.tet.2012.07.10 0

79. Structural characterization of some new tris(2,6-dimethylphenyl)tin(IV) derivatives
I. Barbul, R. A. Varga, C. Silvestru,
Rev. Roum. Chim., **2012**, *57*, 313-319.

80. Structural diversity of coordination cores in new homoleptic tetraaryltin(IV) dioxolane, aldehyde and imines. First octacoordinated double helicate tetraorganotin(IV) compound.
I. Barbul, R. A. Varga, C. Silvestru,
Eur. J. Inorg. Chem., **2013**, 3146–3154.
DOI: 10.1002/ejic.201300245

80a. Structural diversity of coordination cores in new homoleptic tetraaryltin(IV) dioxolane, aldehyde and imines. First octacoordinated double helicate tetraorganotin(IV) compound. (Cover Profile)
I. Barbul, R. A. Varga, C. Silvestru,
Eur. J. Inorg. Chem., **2013**, 3120–3120.
DOI: 10.1002/ejic.201300437

80b. Front Cover
Eur. J. Inorg. Chem., **18/2013**.
DOI: 10.1002/ejic.201390078

81. Di(imino)aryltin(IV) dichlorides as tectons for heterometallic coordination compounds
I. Barbul, R. A. Varga, K. C. Molloy, C. Silvestru,
Dalton Trans., **2013**, *42*, 15427-15436.
DOI: 10.1039/c3dt52022f

82. Synthesis, crystal structure and thermal decomposition kinetics of yttrium propionate
M. Nasui, T. Petrisor Jr., R. B. Mos, A. Mesaros, R. A. Varga, B.S. Vasile, T. Ristoiu, L. Ciontea, T. Petrisor,
J. Anal. Appl. Pyrolysis, **2014**, *106*, 92–98.
DOI: 10.1016/j.jaap.2014.01.004

83. Spectroscopic study of 2-phenyl-thiazole-4-yl-methyl-quinolinium iodine
A. Pîrnău, M. Bogdan, M. Mic, M. Palage, R. A. Varga,
Rom. J. Phys., **2014**, *59,* 550–560.

84. [2-(Me_2NCH_2)C_6H_4]$SnMeCl_2$ and its hydrolysis product, [{2-(Me_2NCH_2)C_6H_4}Sn-$Me(OH)(OH_2)]_2^{2+}\cdot 2Br^-$ - solution and solid state characterization
A. A. Somesan, R. A. Varga, C. Silvestru,
Rev. Roum. Chim., **2014**, *59(11-12)*, 931-938.

85. Structural and *ab initio* studies on the polymorphism of iminophosphorane $(CH_3C_6H_4)_3P{=}NP[(=O)(OPh)_2]$
M. F. Petric, M. E. Crisan, Y. M. Chumakov, A. Micle, I. Neda, R. A. Varga, G. Ilia,
J. Mol. Struct., **2015**, *1083*, 389–397.
DOI: 10.1016/j.molstruc.2014.11.018

86. Molecular structure of [$SnCl_4$(N=CH-C_6H_5)(2,6-$^i Pr_2$)C_6H_3], a tin tetrachloride complex with an (imino)aryl ligand
I. Barbul, R. A. Varga,
Rev. Roum. Chim., **2015**, *60(7-8)*, 845-848.

87. Triorganotin(IV) halides – precursors for new organotin(IV) tectons. Synthesis and structural characterization of [2-{$(CH_2O)_2CH$}C_6H_4]$_3$SnI and [2-(O=CH)C_6H_4]$_3$SnCl
A. A. Somesan, C. Silvestru, R. A. Varga,
Rev. Roum. Chim., **2015**, *60(11-12)*, 1097-1106.

88. Supramolecular anion recognition by β-HCH
M. I. Rednic, R. A. Varga, A. Bende, I. G. Grosu, M. Miclăuş, N. D . Hădade, A. Terec, E. Bogdan, I. Grosu
Chem. Commun., **2016**, *52*, 12322-12325.
DOI: 10.1039/c6cc06842a

89. New organotin(IV) bromides containing potential donor ligands. Synthesis, characterization and supramolecular architecture
A. A. Somesan, R. A. Varga, C. Silvestru,
Inorg. Chim. Acta, **2018**, *475*, 177-183.
DOI: 10.1016/j.ica.2017.09.066

90. Novel mono- and bimetallic organotin(IV) compounds as potential linkers for coordination polymers
A.-A. Someşan, I. Barbul, S.-M. Vieriu, R. A. Varga, C. Silvestru,
Dalton Trans., **2019**, *48*, 6527-6538.
DOI: 10.1039/c9dt00817a

91. Synthesis, separation and X-ray diffractometry investigations of trans, trans-1,4-bis(5 '-hydroxymethyl-2 ',5 '-dimethyl-1 ',3 '-dioxan-2 '-yl)benzene
M. Circu, V. Niste, R. A. Varga, E. Dénes, E. Bogdan, C. Cismaş, I. Grosu,
Studia Univ. "Babes-Bolyai", Chemia, **2010**, *55(3)*, 183-190.

92. Tri-armed podands as efficient precursors for supramolecular systems
C. Oprea, V. Pascanu, C. Cismaş, A. Terec, R. A. Varga, I. Grosu,
Studia Univ. "Babes-Bolyai", Chemia, **2010**, *55(3)*, 177-182.

93. Reaction of imidazoline-2-selone derivatives with mesityltellurenyl iodide: a unique example of a 3c-4e Se→Te←Se three-body system embedding a tellurenyl cation
M. C. Aragoni, M. Arca, A. J. Blake, E. Cadoni, L. O. Copolovici, F. Isaia, V. Lippolis, S. Murgia, A. M. Pop, C. Silvestru, J. P. Tidey, R. A. Varga,
New J. Chem., **2019**, *43*, 11821-11831.
DOI: 10.1039/C9NJ01593K

94. Hypercoordinated organotin(IV) compounds containing (imino)aryl ligands - [(*E*)-2-(2′,6′-$^i Pr_2C_6H_3$N=CH)C_6H_4]SnR_2X (R = Me; X = Cl, I; R = ^{n}Bu, X = Cl, F, Br). Molecular structures and supramolecular aspects
C. Comsa, R. A. Varga, A. Soran, C. Silvestru,
Rev. Roum. Chim., **2020**, *65(6)*, 539-552.
DOI: 10.33224/rrch.2020.65.6.03

95. Synthesis and characterization of novel homobimetallic organotin(IV) compounds
A.-A. Someşan, I. Barbul, S.-M. Vieriu, R. A. Varga,
Rev. Roum. Chim., **2020**, *65(7-8)*, 725-733.
DOI: 10.33224/rrch.2020.65.7-8.11

96. Single source precursor for PAD-$LaMnO_3$ thin films
R. B. Sonher, R. A. Varga, M. Năsui, T. Petrișor. Jr, M. S. Gabor, M. Senila, A. Rufoloni, T. Petrișor, L. Ciontea
Crystals, **2020**, *10*, 851.
DOI: 10.3390/cryst10090851

97. Synthesis, structural characterization and in vitro antiproliferative effects of novel organotin(IV) compounds with nicotinate and isonicotinate moieties on carcinoma cells
S.-M. Vieriu, A.-A. Someșan, C. Silvestru, E. Licarete, M. Baciu, R. A. Varga,
New J. Chem., **2021**, *45*, 1020-1028.
DOI: 10.1039/d0nj05069e

98. Reactivity of a carbonyl moiety in organotin(IV) compounds. Novel Pd(II) and Cu(II) complexes supported by organotin(IV) ligands
A.-A. Someșan, C. Silvestru, R. A. Varga,
New J. Chem., **2021**, *45*, 3817-3827.
DOI: 10.1039/D0NJ06016J

99. *C,O*-Chelated organotin(IV) derivatives as potential anticancer agents: Synthesis, characterization, and cytotoxic activity
A.-A. Someșan, S.-M. Vieriu, A. Crăciun, C. Silvestru, P. Chiroi, A. Nutu, A. Jurj, R. Lajos, I. Berindan-Neagoe, R. A. Varga,
Appl. Organomet. Chem., **2022**, *36*, e6540.
DOI: 10.1002/aoc.6540

100. Supramolecular architectures in novel diphenyl(aryl)tin(IV) chlorides
C. Afloarei, I. Barbul, A.-A. Someșan, C. Silvestru, R. A. Varga,
Polyhedron, **2022**, *222*, 115894.
DOI: 10.1016/j.poly.2022.115894

101. Diaryllead(II) species stabilized by C,O-chelating ligands
A.-A. Someșan, R. A. Varga,
New J. Chem., **2022**, *46*, 20074-20077.
DOI: 10.1039/d2nj03796c

102. Organotin(IV) alkoxides, siloxides, and related stannoxanes. Characterisation and thermogravimetric studies
V. Penciu, L. Bizo, R. A. Varga, A.-A. Someșan,
ChemistryOpen, **2025***,* e202400494.
DOI: 10.1002/open.202400494

103. 4-[2-(Chlorodiphenylstannyl)phenyl]-4-hydroxybutan-2-one
A.-A. Someșan, R. A. Varga,
Molbank, **2025***, 2025,* M1991.
DOI: 10.3390/M1991

104. Synthesis and spectroscopic characterization of homoleptic triorganopnictogen(iii) compounds – useful precursors for functionalized materials. Molecular structure of [4-{$(CH_2O)_2CH$}C_6H_4]$_3$Sb
F. Adăscăliței, C. I. Raț, M. Vlassa, R. A. Varga, C. Silvestru
Rev. Roum. Chim., **2025,** *70(5–6)*, 249-259.
DOI: 10.33224/rrch.2025.70.5-6.02

105. Structural characterization of some symmetric *bis*-imines

A.-A. Someșan, I. Barbul, R. A. Varga,
Rev. Roum. Chim., **2025,** *70(5–6)*, 329-336.
DOI: 10.33224/rrch.2025.70.5-6.09

106. Tributyl- and triphenyltin(IV) dicarboxylates – from mononuclear species to polymeric structures
A.-A. Someșan, R. A. Varga,
Rev. Roum. Chim., **2025,** *70(11–12)*, 781–790.
DOI: 10.33224/rrch.2025.70.11-12.05

III. COMUNICARI STIINTIFICE

1. Organolead(IV) complexes of tetraorganodichalcogenoimidodiphosphinato ligands. Synthesis and characterization,
R. A. Varga, C. Silvestru, I. Haiduc,
The XVIIIth International Conference on Organometallic Chemistry (XVIIIth ICOMC), Münich (Germany), August 1998.

2. New organolead(IV) compounds containing organophosphorus ligands,
R. A. Varga, J. E. Drake, C. Silvestru, I. Haiduc,
The XIIIth FECHEM Conference on Organometallic Chemistry, Lisabon (Portugal), August-September 1999.

3. Inorganic chelate rings in organolead(IV) derivatives of organophosphorus ligands. From 6-membered to 16-membered rings,
R. A. Varga, J. E. Drake, C. Silvestru,
The IRIS IX, Saarbrucken (Germany), July 2000.

4. Hypervalent organotin(IV) and -lead(IV) derivatives containing organophosphorus ligands,
R. A. Varga, C. Silvestru, M. Schuermann, J. E. Drake
The Xth International Conference on the Coordination and Organometallic Chemistry of Germanium, Tin and Lead (ICCOC-GTL-10), Bordeaux (France), July 2001.

5. New hypervalent organotin(IV) derivatives containing [2-(Me_2NCH_2)C_6H_4] groups,
R. A. Varga, C. Silvestru,
The 3rd International Conference of Chemical Societies of the South-Eastern European Countries on "*Chemistry in the New Millennium - an Endless Frontier*", Bucuresti (Romania), 22-25 September 2002.

6. Solid state structures of new organotin(IV) compounds containing *O*- and *S*-bonded ligands,
M. Balog, I. Grosu, G. Plé, Y. Ramondenc, E. Condamine, C. Lange, C. Loutelier, R. A. Varga,
The 13th Romanian International Conference on Chemistry and Chemical Engineering, Bucuresti (Romania), 16-20 September 2003.

7. New hypervalent organotin(II) and –tin(IV) derivatives. Synthesis and characterization,
A. Rotar, R. A. Varga, C. Silvestru,
A III-a Conferinta Internationala "Procese Izotopice si Moleculare" – cu participare internationala, Cluj-Napoca (Romania), 25-27 September 2003.

8. Organotin(IV) compounds containing [2-(Me_2NCH_2)C_6H_4] groups. Solution and solid state structure,

R. A. Varga ,C. Silvestru,
A III-a Conferinta Internationala "Procese Izotopice si Moleculare" – cu participare internationala, Cluj-Napoca (Romania), 25-27 September 2003.

9. Solid state structures of new organotin(IV) compounds containing *O*- and *S*-bonded ligands,
R. A. Varga, C. Silvestru,
The 1st International Conference of the Moldavian Chemical Society - "Achievements and perspectives of modern chemistry", Chisinau (Moldova), 06-08 October 2003.

10. Arilidentipsemicerbazide si aciltiosemicarbazide – precursori in sinteza unor imisazo[2,1-B][1,3,4]tiadiazoli,
V. Zaharia, D. Ghereg, A Silvestru, R. A. Varga, Z. Moldovan,
Zilele Univesitatii de Medicina si Farmacie "Iuliu Hateganu", Cluj-Napoca (Romania), 2-5 December 2003.

11. Hypervalent organotin(IV) compounds with intramolecular coordination,
R. A. Varga, C. Silvestru,
4th International Conference of the Chemical Societies of the South-East European Countries on "*Chemical Sciences in Changing Times:Visions, Challenges and Solutions"*, Belgrade (Serbia and Montenegro), 18-21 July 2004.

12. Supramolecular arrangements in hipervalent organotin(IV) compounds containing [2-(Me_2NCH_2)C_6H_4] groups.
R. A. Varga, C. Silvestru,
The 1st Internacional Conference "Advanced Spectroscopies on Biomedical and Nanostructured Systems", Cluj-Napoca (Romania), 19-22 September 2004.

13. Arhitecturi supramoleculare ca rezultat al legăturilor de hidrogen în halogenurile staniu-organice cu liganzi [2-(Me_2NCH_2)C_6H_4]
R. A. Varga, C. Silvestru,
A XXVIII Conferinta Nationala de Chimie, Calimanesti-Caciulata, Valcea (Romania), 6-8 October 2004.

14. New hypervalent organotin(IV) derivatives: synthesis and characterization,
A. Rotar, R. A. Varga, C. Silvestru,
The XVIth FECHEM Conference on Organometallic Chemistry, Budapesta (Ungaria), 03-08 Sept. 2005.

15. Hypervalent organotin(IV) compounds with Sn-S-Sn bridges,
R. A. Varga, C. Silvestru,
The XVIth FECHEM Conference on Organometallic Chemistry, Budapesta (Ungaria), 03-08 Sept. 2005.

16. Hypervalent organotin(IV) derivatives containing different bridging units,
R. A. Varga, A. Rotar, C. Silvestru,
a IV-a Conferinta "Procese Izotopice si Moleculare", Cluj-Napoca (Romania), 22-24 Sept. 2005. (poster).

17. New hypervalent organoselenium(II) halides containing organic groups with pendant arms,
M. Kulcsar, A. Silvestru, R. A.Varga and C. Silvestru,
a IV-a Conferinta "Procese Izotopice si Moleculare", Cluj-Napoca (Romania), 22-24 Sept. 2005. (poster).

18. New hypercoordinated organotin(IV) compounds.
R. A.Varga, C. Silvestru

XXIIth International Conference on Organometallic Chemistry, Zaragoza, Spania, 23-28 Iulie, 2006. (poster).

19. Design of new hypervalent organoselenium(II) halides containing [X(CH_2CH_2)$_2$$NC_6H_4$] groups (X = O NMe).
A. Beleaga, M. Kulcsar, A. Silvestru, R. A.Varga, C. Silvestru
XXIIth International Conference on Organometallic Chemistry, Zaragoza, Spania, 23-28 Iulie, 2006. (poster).

20. Hypercoordinated organotin(IV) compounds containing inorganic rings.
R. A.Varga, C. Silvestru
11th International Symposium on Inorganic Ring Systems,Inorganic Rings, Chains, and Cages: From Fundamental Research to Aplications, Oulu, Finlanda, 29 Iulie-4 August, 2006. (Flash presentation + poster).

21. New hypervalent organotin(IV) derivatives containing [2-(Et_2NCH_2)C_6H_4] groups. Synthesis and characterization.
A. Rotar, R. A.Varga, C. Silvestru
5th International Conference of the Chemical Societies of the South-Est European Countries, Ohrid, Macedonia, 10-14 September, 2006. (poster).

22. Organochalcogen(I) and –chalcogen(IV) [E = Se, Te] compound containing [2-{X(CH_2CH_2)$_2$$NCH_2$}$C_6H_4$] moities (X = O, NMe). Solution and solid state structure.
A. Beleaga, M. Kulcsar, A. Silvestru, C. Silvestru, R. A.Varga,
5th International Conference of the Chemical Societies of the South-Est European Countries, Ohrid, Macedonia, 10-14 September, 2006. (poster).

23. Supramolecular architectures in hypercoordinated organotin(IV) halides.
R. A.Varga, A. Rotar, C. Silvestru,
Supramolecular Chemistry from design to applications SUPCHEM, Cluj-Napoca, Romania, 12-15 April 2007. (prezentare orala)

24. Supramolecular structures of organoantimony(III) compounds with intramolecular coordination,
D. Copolovici, C. Silvestru and R. A.Varga,
Supramolecular Chemistry from design to applications SUPCHEM, Cluj-Napoca, Romania, 12-15 April 2007.

25. New hypervalent triorganotellurium(IV) halides containing [2-(Me_2NCH_2)C_6H_4] groups. Synthesis and structural characterization,
A. Beleaga, A. Silvestru, C. Silvestru and R. A. Varga,
Tenth International on the Chemistry of Selenium and Tellurium, Lodz (Poland), June 2007

26. New organotin(IV) derivatives containing bulky groups. Synthesis, characterization and reactivity.
R. A.Varga, C. Silvestru,
The XIIth International Conference on the Coordination and Organometallic Chemistry of Germanium, Tin and Lead (ICCOC-GTL-12), Galway, Irlanda, 9-13 July, 2007. (poster)

27. New hypervalent organotin(IV) derivatives. Synthesis and characterization,
A. Rotar, R. A. Varga and C. Silvestru,
The XII International Conference on the Coordination and Organometallic Chemistry of Germanium, Tin and Lead, Galway (Ireland), 9-13 July, 2007.

28. New alkyl and aryl amodiaquine analogs – design, synthesis and antimalarial activity.

E. Paunescu, S. Susplugas, E. Boll, R. A. Varga, E. Mouray, I. Grosu, P. Grellier, P. Melnyk, *American Chemical Society 234th National Meeting & Exposition,* Boston, MA USA, 19-23 Aug., 2007. (poster)

29. New bridged organotin(IV) derivatives containing bulky groups.
R. A.Varga, C. Silvestru,
The XVIIth EuChemMS Conference on Organometallic Chemistry, Sofia, Bulgaria, 1-6 Sept. 2007. (poster)

30. Synthesis, characterization and crystal structures of new hypervalent organotellurium compounds.
L. Copolovici, C. Silvestru, R. A.Varga,
The XVIIth EuChemMS Conference on Organometallic Chemistry, Sofia, Bulgaria, 1-6 Sept. 2007. (poster)

31. Hypervalent organotin(IV) derivatives containing [2-($^{i}Pr_2NCH_2$)C_6H_4] groups. Synthesis and characterization
A. Rotar, M. Staninska, R. A.Varga, D. Kovala-Demertzi, C. Silvestru,
XXIIIth International Conference on Organometallic Chemistry, Rennes, France, 13-18 Iuly, 2008. (poster).

32. Reaction of *t*-butylcyanoketene (TBCK) with 1,3-cyclic dienes. is periselectivity controlled by the dynamic of trajectories?
M. D. Gheorghiu, A. Marton, L. Pârvulescu, C. Draghici, R. A. Varga,
GRC: Organic Reactions & Processes, Smithfield, RI, USA, 13-18 Iuly, 2008. (poster).

33. t-Butylcyanoketene, a special cycloaddent in the reactions with dienes and fulvenes
L. Parvulescua, A. Martona, C. Draghici, M. Mihai, R. A. Varga, D. Porumb, M. D. Gheorghiu,
The 2nd EuCheMS Chemistry Congress, Chemistry: The Global Science, Torino, Italy, 16-20 Sept. 2008. (poster)

34. Multinuclear NMR characterisation of hypervalent organotin(IV) compounds,
A. Stegarescu, R.A. Varga, I. Barbul and C. Silvestru,
11th Central and Eastern European NMR Symposium and 11th Central and Eastern European Bruker Users Meeting, Cluj-Napoca (Romania), 4-6 Octomber, 2009. (poster)

35. Organotin(IV) compounds with intramolecular coordination – an Overview,
R. A. Varga, A. Stegarescu, I. Barbul, C. Silvestru
Zilele Academice Clujene - Actualitati clujene in chimie, Cluj-Napoca (Romania), 4 June 2010. (poster)

36. New hypervalent tetraorganotin(IV) compounds,
I. Barbul, R. A. Varga, C. Silvestru,
XIX EuCHEMS Conference on Organometallic Chemistry (EuCOMC), Toulouse (France), 3-7 July, 2011. (poster)

37. New hypercoordinated organotin(IV) compounds with [2-(Me_2NCH_2)C_6H_4] fragments
R. A. Varga, C. Silvestru,
The Thirteenth International Conference on the Coordination and Organometallic Chemistry of Germanium, Tin and Lead, Graz (Austria), 11-15 July, 2010. (Flash presentation + poster)

38. New organotin(IV) compounds containing ligands with delocalization and intramolecular coordination potential,

I. Barbul, R. A. Varga, C. Silvestru,
The Thirteenth International Conference on the Coordination and Organometallic Chemistry of Germanium, Tin and Lead, Graz (Austria), 11-15 July, 2010. (poster)

39. The cycloadditions of t-butylcyanoketene with nucleophilic double bonds and homoconjugated dienes,
L. Marton, L. Parvulescu, M. Mihai, E. Olteanu, C. Draghici, G. Marton, R. A. Varga, M. D. Gheorghiu,
7th International Conference of the Chemical Societies of the South-East European Countries on "*Chemistry – Beauty and Application"*, Bucharest (Romania), 15-17 September 2010. (oral pesentation)

40. Hypercoordinated organotin(IV) compounds with new pendant arm ligands
I. Barbul, R. A. Varga, C. Silvestru,
ICOMC25 International Conference in Organometallic Chemistry, Lisbon (Portugal), 2-7 September, 2012.

41. New organotin(IV) halides as tectons for heterometallic coordination compounds
I. Barbul, R. A. Varga, C. Silvestru
20th EuCheMS Conference on Organometallic Chemistry, St Andrews (Scotland), 30 June - 4 July, 2013.

42. Compusi staniu(IV) organici care contin liganzi cu brate pendante
R. A. Varga,
Zilele Academice Clujene, Cluj-Napoca (Romania), 5 July, 2014.

43. New Heteroleptic Tetra(aryl)tin(IV) Compounds - Intra- and Intermolecular Interactions Study
A. A. Somesan, R. A. Varga, C. Silvestru,
Young Researchers' International Conference on Chemistry and Chemical Engineering (YRICCCE I) May 12th – 14th, 2016, Cluj-Napoca, Romania.

44. Multinuclear NMR –a useful tool in analysis of organotin(IV) compounds
A. A. Somesan, R. A. Varga, C. Silvestru,
The Central and Eastern European Bruker Users' Meeting, CEUM, 18 - 20.09.2016, Sofia, Bulgaria.

45. New nicotinate and isonicotinate organotin(IV)-compounds with potential biological activity
S.-M. Vieriu, R. A. Varga, E. Licarete, M. Banciu,
a XXXV-a Conferință Națională de Chimie, Călimănești-Căciulata,Vâlcea (România) 2-5 octombie 2018, prezentare orală.

46. Synthesis, characterization and potential biological activity of new organotin(IV) derivatives,
S.-M. Vieriu, R. A. Varga, E. Licarete, M. Banciu,
9th International Conference of the Chemical Societies of the South-East European Countries, Targoviște 2019, poster.

47. C,O-chelated organotin(IV) compounds as potential anticancer agents: synthesis, characterization and cytotoxic activity,
A. A. Somesan, R. A. Varga, C. Silvestru,
3rd Edition of the Young Researchers' International Conference on Chemistry and Chemical Engineering (YRICCCE III), Cluj-Napoca, Romania, 4th and 5th June 2021, prezentare orală.

48. Novel organotin(IV) alkoxides – from synthesis to reactivity,
V. Penciu, A.-A. Someșan, R. A. Varga,